


Contraction to the second of the contraction of










Figure 3 (PRIOR ART)





370			•										
						ც	G-PORT DATA TABLE	A TABI	E				
	KEY(s)			·				DAT.	DATA FIELDS				
•	372 / MSISDN	374 Fantity	376 37 / / PC SSN	378 380 / N RI	0	ENTITY	382 / ITY ADDRESS		384 / RN	386 / NP Status	388 / IMSI	389 / D-Action	
452	9193803833 2123675637 - 7704545731 - 9193803414 9193803414 9199672400				RT-ON-SSN RT-ON-SSN RT-ON-SSN RT-ON-GT RT-ON-GT	302	1 1 1 1		 9194326567 9194326433	Not Ported Not Ported Not Ported Ported Out Ported Out	9192220000 9192220001 9192220002 9192220003 9192220003	None None None Replace Append	
	380					Fi	Figure 5a	.g			·		
						GT	GTT DATA TABLE	BLE					
		KE	KEY RANGE					DAT	DATA FIELDS				
	454 7 7 9	392 MINIMUM MSISDN 9193800000 9194690000 7704540000		394 MAXIMUM MSISDN 9193809999 9194699999 7704549999	396 PC 4-0-1 4-0-1 4-0-1	398 6 6 6 6	398 400 N RI RT-ON-SSN RT-ON-SSN RT-ON-SSN RT-ON-SSN RT-ON-SSN	E 4 4 % 4	402				













	N	12 M	3
	PARAMETER	SRI	SRI Ack
400 _	MTP		
402	OPC	2-0-0	3-0-0
404	DPC	3-0-0	2-0-0
107	SIO	SCCP	SCCP
	SCCP	-	
406_	CGPA		
408	PC-SSN	2-0-0: 7	3-0-0: 7
700	RI	RT-ON-SSN	RT-ON-SSN
410 _	CDPA		
410	PC-SSN	6	2-0-0:7
412 _	GTD	9193803414	-
414	TT	10	_
416	GTI	4	
418	NP .	1	
420	NAI	3	
120	► RI	RT-ON-GT	RT-ON-SSN
422 .	TCAP/MAP		
424	MSISDN NP	1	
	MSISDN NAI	3	
428	MSISDN DIGITS	9193803414	{ -
430	MSRN NP	-	1
432	MSRN NAI	-	3
434	MSRN DIGITS		9194326567
737	PORT STATUS	<u> </u>	Ported Out

Figure 9




	N	12 M	13
	PARAMETER	SRI	SRI*
400 _	MTP		
402	OPC	2-0-0	3-0-0
404	DPC	3-0-0	4-0-0
,,,,	SIO	SCCP	SCCP
	SCCP		1
406 _	CGPA		
408	PC-SSN	1-0-0: 7	1-0-0: 7
100	RI	RT-ON-SSN	
410_	CDPA		
	PC-SSN	6	6
412 _	GTD	7704545731	7704545731
414	TT	10	10
416	→ GTI	4	4
418	NP	1	1
420	NAI	3	3
.20	RI _.	RT-ON-GT	RT-ON-SSN
422 _	TCAP / MAP	<u> </u>	1
424	MSISDN NP	1	1
426	MSISDN NAI	3	3
428	MSISDN DIGITS	7704545731	7704545731
430	MSRN NP	-	-
432	MSRN NAI	<u>-</u>	-
434 _	MSRN DIGITS	_	
727	PORT STATUS		_

Figure 11



_	М2	. мз	\
	PARAMETER	SMS	SMS*
400 _	MTP		
402	OPC	2-0-0	3-0-0
404 _	DPC	3-0-0	5-0-0
101	SIO	SCCP	SCCP
	SCCP	•	
406 _	CGPA		
408 _	PC-SSN	1-0-0: 7	1-0-0: 7
100	RI	RT-ON-SSN	RT-ON-SSN
410 _	CDPA		
410	PC-SSN	6	6
412	GTD	9193803414	9194326567
414	TT ·	10	10
416	GTI	4	4
418	NP	1	1
420	'NAI	3	3
	RI	RT-ON-GT	RT-ON-GT
422_	TCAP/MAP		
424	MSISDN NP	1	1
426	MSISDN NAI	3	3
720	MSISDN DIGITS	9193803414	9193803414

Figure 13



	M2	M3	
	PARAMETER	SMS	SMS*
400 _	MTP		
402	OPC	2-0-0	3-0-0
404 _	DPC	3-0-0	4-0-1
101	sio .	SCCP	SCCP
	SCCP		
406 _	CGPA		
408	PC-SSN	1-0-0: 7	1-0-0: 7
.00	RI	RT-ON-SSN	RT-ON-SSN
410_	CDPA		
	PC-SSN	6	6
412	GTD	9193800001	9193800001
414	TT	10	10
416_	GTI	4	4
418	NP	1	1
420 _	NAI	3	3
	RI	RT-ON-GT	RT-ON-SSN
422 _	TCAP/MAP		ļ
424	MSISDN NP	1	1
426	MSISDN NAI	3 .	3
	MSISDN DIGITS	9193800001	.9193800001

Figure 15